

**Quality ID #8 (CBE 0083): Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)**

**2024 COLLECTION TYPE:**  
**MIPS CLINICAL QUALITY MEASURES (CQMS)**

**MEASURE TYPE:**  
Process

**DESCRIPTION:**

Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF)  $\leq$  40% who were prescribed beta-blocker therapy either within a 12-month period when seen in the outpatient setting OR at each hospital discharge.

**INSTRUCTIONS:**

This measure is to be submitted for all heart failure patients a minimum of **once per performance period** when seen in the outpatient setting AND submitted at **each** hospital discharge (99238 and 99239) during the performance period. Only patients who had at least two denominator eligible visits during the performance period will be counted for Submission Criteria 1.

**NOTE:** When submitting CPT code 99238 and 99239, it is recommended the measure be submitted each time the code is submitted for hospital discharge.

This measure is intended to reflect the quality of services provided for patients with heart failure and decreased left ventricular systolic function. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

**NOTE:** Patient encounters for this measure conducted via telehealth (including but not limited to encounters coded with GQ, GT, 95, POS 02, POS 10) are allowable.

**Measure Submission Type:**

Measure data may be submitted by individual MIPS eligible clinicians, groups, or third-party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third-party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third-party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

**THERE ARE TWO SUBMISSION CRITERIA FOR THIS MEASURE:**

- 1) All patients with a diagnosis of HF seen in the outpatient setting

**OR**

- 2) All patients with a diagnosis of HF and discharged from hospital

**SUBMISSION CRITERIA 1: ALL PATIENTS WITH A DIAGNOSIS OF HF SEEN IN THE OUTPATIENT SETTING**

**DENOMINATOR (SUBMISSION CRITERIA 1):**

All patients aged 18 years and older with a diagnosis of heart failure with a current or prior LVEF  $\leq$  40%

**DENOMINATOR NOTE:** LVEF ≤ 40% corresponds to qualitative documentation of moderate dysfunction or severe dysfunction. The left ventricular systolic dysfunction may be determined by quantitative or qualitative assessment, which may be current or historical. Examples of a quantitative or qualitative assessment may include an echocardiogram: 1) that provides a numerical value of left ventricular systolic dysfunction or 2) that uses descriptive terms such as moderately or severely depressed left ventricular systolic function. Any current or prior ejection fraction study documenting LVSD can be used to identify patients.

To meet the denominator criteria, a patient must have an active diagnosis of heart failure at the time of the encounter which is used to qualify for the denominator and evaluate the numerator.

The encounter used to evaluate the numerator counts as 1 of the 2 encounters required for denominator inclusion. If the patient meets the heart failure diagnosis criterion, the diagnosis needs to be active only at the encounter being evaluated for the numerator action.

\*Signifies that this CPT Category I code is a non-covered service under the Medicare Part B Physician Fee Schedule (PFS). These non-covered services should be counted in the denominator population for MIPS CQMs.

**Denominator Criteria (Eligible Cases) 1:**

Patients aged ≥ 18 years on date of encounter

**AND**

**Diagnosis for heart failure (ICD-10-CM):** I11.0, I13.0, I13.2, I50.1, I50.20, I50.21, I50.22, I50.23, I50.30, I50.31, I50.32, I50.33, I50.40, I50.41, I50.42, I50.43, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9

**AND**

**Patient encounter during performance period – to be used for numerator evaluation (CPT):** 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99242\*, 99243\*, 99244\*, 99245\*, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99424, 99426

**AND**

**At least one additional patient encounter during performance period (CPT):** 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99242\*, 99243\*, 99244\*, 99245\*, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99424, 99426

**AND**

**Left ventricular ejection fraction (LVEF) ≤ 40% or documentation of moderately or severely depressed left ventricular systolic function:** G8923

**AND NOT**

**DENOMINATOR EXCLUSION:**

**Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD):**  
M1152

**NUMERATOR (SUBMISSION CRITERIA 1):**

Patients who were prescribed beta-blocker therapy within a 12-month period when seen in the outpatient setting

**Definitions:**

**Prescribed – Outpatient Setting** – Prescription given to the patient for beta-blocker therapy at one or more visits in the measurement period OR patient already taking beta-blocker therapy as documented in current medication list.

**Beta-blocker Therapy** – For patients with current or prior LVEF ≤ 40%, “beta-blocker therapy” should include bisoprolol, carvedilol, or sustained release metoprolol succinate.

**NUMERATOR NOTE:** To meet the intent of the measure, the numerator quality action must be performed at the encounter at which the active diagnosis of heart failure is documented. Denominator Exception(s) are determined on the date of the denominator eligible encounter.

<b>OR</b>	<b>Numerator Options:</b>	
	<b>Performance Met:</b>	Beta-blocker therapy prescribed ( <b>G8450</b> )
	<b>Denominator Exception:</b>	Beta-Blocker Therapy for LVEF ≤ 40% not prescribed for reasons documented by the clinician (e.g., low blood pressure, fluid overload, asthma, patients recently treated with an intravenous positive inotropic agent, allergy, intolerance, other medical reasons, patient declined, other patient reasons) ( <b>G8451</b> )
<b>OR</b>	<b>Performance Not Met:</b>	Beta-blocker therapy not prescribed ( <b>G8452</b> )
		<b>OR</b>

**SUBMISSION CRITERIA 2: ALL PATIENTS WITH A DIAGNOSIS OF HF AND DISCHARGED FROM HOSPITAL**

**DENOMINATOR (SUBMISSION CRITERIA 2):**

All patients aged 18 years and older with a diagnosis of heart failure with a current or prior LVEF ≤ 40%

***DENOMINATOR NOTE:*** LVEF ≤ 40% corresponds to qualitative documentation of moderate dysfunction or severe dysfunction. The left ventricular systolic dysfunction may be determined by quantitative or qualitative assessment, which may be current or historical. Examples of a quantitative or qualitative assessment may include an echocardiogram: 1) that provides a numerical value of left ventricular systolic dysfunction or 2) that uses descriptive terms such as moderately or severely depressed left ventricular systolic function. Any current or prior ejection fraction study documenting LVSD can be used to identify patients.

**Denominator Criteria (Eligible Cases) 2:**

Patients aged ≥ 18 years on date of encounter

**AND**

**Diagnosis for heart failure (ICD-10-CM):** I11.0, I13.0, I13.2, I50.1, I50.20, I50.21, I50.22, I50.23, I50.30, I50.31, I50.32, I50.33, I50.40, I50.41, I50.42, I50.43, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9

**AND**

**Patient encounter during performance period (CPT):** 99238, 99239

**AND**

**Left ventricular ejection fraction (LVEF) ≤ 40% or documentation of moderately or severely depressed left ventricular systolic function:** G8923

**AND NOT**

**DENOMINATOR EXCLUSION:**

**Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD):**  
M1152

**NUMERATOR (SUBMISSION CRITERIA 2):**

Patients who were prescribed beta-blocker therapy at each hospital discharge

**Definitions:**

**Prescribed – Inpatient Setting** – Prescription given to the patient for beta-blocker therapy at discharge OR beta-blocker therapy to be continued after discharge as documented in the discharge medication list.

**Beta-blocker Therapy** – For patients with current or prior LVEF ≤ 40%, “beta-blocker therapy” should include bisoprolol, carvedilol, or sustained release metoprolol succinate.

***NUMERATOR NOTE:*** To meet the intent of the measure, the numerator quality action must be performed at each denominator eligible discharge. Denominator Exception(s) are determined on the date of the denominator eligible discharge.

<b><u>Numerator Options:</u></b>	
<b><i>Performance Met:</i></b>	Beta-blocker therapy prescribed ( <b>G8450</b> )
<b><u>OR</u></b>	
<b><i>Denominator Exception:</i></b>	Beta-Blocker Therapy for LVEF ≤ 40% not prescribed for reasons documented by the clinician (e.g., low blood pressure, fluid overload, asthma, patients recently treated with an intravenous positive inotropic agent, allergy, intolerance, other medical reasons, patient declined, other patient reasons) ( <b>G8451</b> )
<b><u>OR</u></b>	
<b><i>Performance Not Met:</i></b>	Beta-blocker therapy not prescribed ( <b>G8452</b> )

**RATIONALE:**

**Beta blockers improve survival and reduce hospitalization for patients with stable heart failure and reduced LVEF (HFrEF).** Treatment should be initiated as soon as a patient is diagnosed with reduced LVEF and does not have prohibitively low systemic blood pressure, fluid overload, or recent treatment with an intravenous positive inotropic agent. Beta blockers have also been shown to lessen the symptoms of heart failure, improve the clinical status of patients, and reduce future clinical deterioration. Despite these benefits, use of beta blockers in eligible patients remains suboptimal.

**CLINICAL RECOMMENDATION STATEMENTS:**

In patients with HFrEF, with current or previous symptoms, use of 1 of the 3 beta blockers proven to reduce mortality (e.g., bisoprolol, carvedilol, sustained-release metoprolol succinate) is recommended to reduce mortality and hospitalizations. (Class 1, Level of Evidence A) (AHA/ACC/HFSA, 2022).

Drugs Commonly Used for Stage C HFrEF (abbreviated to align with focus of measure to include only Beta-blocker therapy)

**Table 1: Drugs Commonly Used for Stage C HFrEF Beta Blocker Therapy**

Drug	Initial Daily Dose(s)	Maximum Dose(s) Total Daily Target Dose	Mean Doses Achieved in Clinical Trials
Beta Blockers			
Bisoprolol	1.25 mg once	10 mg once	8.6 mg/d
Carvedilol	3.125 mg twice	25-50 mg twice	37 mg/d
Carvedilol CR	10 mg once	80 mg once	N/A
Metoprolol succinate extended release (metoprolol CR/XL)	12.5 to 25 mg once	200 mg once	159 mg/d

For the hospitalized patient:

In patients with HFrEF requiring hospitalization, preexisting GDMT\* should be continued and optimized to improve outcomes, unless contra-indicated (Class 1, Level of Evidence B-NR) (AHA/ACC/HFSA, 2022).

In patients with HFrEF, GDMT should be initiated during hospitalization after clinical stability is achieved (Class 1, Level of Evidence B-NR) (AHA/ACC/HFSA, 2022).

In patients with HFrEF, if discontinuation of GDMT is necessary during hospitalization, it should be reinitiated and further optimized as soon as possible (Class 1, Level of Evidence B-NR) (AHA/ACC/HFSA, 2022).

\*Guideline-Directed Medical Therapy

**COPYRIGHT:**

The Measure is not a clinical guideline, does not establish a standard of medical care, and has not been tested for all potential applications.

The Measure, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measure require a license agreement between the user and the American College of Cardiology (ACC) or the American Heart Association (AHA). Neither the ACC, nor AHA, nor their members shall be responsible for any use of the Measure.

ACC and AHA encourage use of the Measure by other health care professionals, where appropriate.

**THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.**

© 2023 American College of Cardiology and American Heart Association. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The ACC and AHA, and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2021 American Medical Association. LOINC® is copyright 2004-2023 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2023 International Health Terminology Standards Development Organisation. ICD-10 is copyright 2023 World Health Organization. All Rights Reserved.


The American Medical Association's and the PCPI® Foundation's significant past efforts and contributions to the performance measures are gratefully acknowledged.

**2024 Clinical Quality Measure Flow for Quality ID #8 (CBE 0083):  
Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)  
Submission Criteria One**

*Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.*



## Submission Criteria Two



### SAMPLE CALCULATIONS

**Data Completeness=**  

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=80 visits) + Denominator Exception (b}^1\text{+b}^2\text{=20 visits) + Performance Not Met (c}^1\text{+c}^2\text{=40 visits)}}{\text{Eligible Population / Denominator (d}^1\text{+d}^2\text{=160 visits)**}} = \frac{140 \text{ visits}}{160 \text{ visits}} = 87.50\%$$

**Performance Rate=**  

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=80 visits)}}{\text{Data Completeness Numerator (140 visits) – Denominator Exception (b}^1\text{+b}^2\text{=20 visits)}} = \frac{80 \text{ visits}}{120 \text{ visits}} = 66.67\%$$

\*See the posted measure specification for specific coding and instructions to submit this measure.

\*\*This measure is to be submitted at two different frequencies, depending upon the clinical setting. This measure is to be submitted for a minimum of **once per performance period** when **seen in the outpatient setting AND submitted at each hospital discharge** during the performance period. In order to show an accurate calculation for Submission Criteria One and Submission Criteria Two, patients and visits were combined and shown as visits within the calculation.

This measure contains two Submission Criteria, although as the Sample Calculation indicates, there is **ONLY** one data completeness and one performance rate for this measure.

NOTE: Submission Frequency: Submission Criteria One: Patient-Process;  
 Submission Criteria Two: Visit

CPT only copyright 2023 American Medical Association. All rights reserved.  
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v8

**2024 Clinical Quality Measure Flow Narrative for Quality ID #8 (CBE 0083):  
Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)**

*Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.*

**Submission Criteria One:**

1. Start with Denominator
2. Check *Patients aged greater than or equal to 18 years on date of encounter*:
  - a. If *Patients aged greater than or equal to 18 years on date of encounter* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patients aged greater than or equal to 18 years on date of encounter* equals Yes, proceed to check *Diagnosis for heart failure as listed in Denominator\**.
3. Check *Diagnosis for heart failure as listed in Denominator\**:
  - a. If *Diagnosis for heart failure as listed in Denominator\** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Diagnosis for heart failure as listed in Denominator\** equals Yes, proceed to check *Patient encounter during performance period – to be used for numerator evaluation as listed in Denominator\**.
4. Check *Patient encounter during performance period – to be used for numerator evaluation as listed in Denominator\**:
  - a. If *Patient encounter during performance period – to be used for numerator evaluation as listed in Denominator\** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patient encounter during performance period – to be used for numerator evaluation as listed in Denominator\** equals Yes, proceed to check *At least one additional patient encounter during performance period as listed in Denominator\**.
5. Check *At least one additional patient encounter during performance period as listed in Denominator\**:
  - a. If *At least one additional patient encounter during performance period as listed in Denominator\** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *At least one additional patient encounter during performance period as listed in Denominator\** equals Yes, proceed to check *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function*.
6. Check *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function*:
  - a. If *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function* equals Yes, proceed to check *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)*.



7. Check *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)*:
  - a. If *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)* equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)* equals No, include in *Eligible Population/Denominator*.
8. Denominator Population:
  - Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d<sup>1</sup> equals 80 patients in the Sample Calculation.
9. Start Numerator
10. Check *Beta-blocker therapy prescribed*:
  - a. If *Beta-blocker therapy prescribed* equals Yes, include in *Data Completeness Met and Performance Met*.
    - *Data Completeness Met and Performance Met* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a<sup>1</sup> equals 40 patients in the Sample Calculation.
  - b. If *Beta-blocker therapy prescribed* equals No, proceed to check *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician*.
11. Check *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician*:
  - a. If *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician* equals Yes, include in *Data Completeness Met and Denominator Exception*.
    - *Data Completeness Met and Denominator Exception* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b<sup>1</sup> equals 10 patients in the Sample Calculation.
  - b. If *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician* equals No, proceed to check *Beta-blocker therapy not prescribed*.
12. Check *Beta-blocker therapy not prescribed*:
  - a. If *Beta-blocker therapy not prescribed* equals Yes, include in *Data Completeness Met and Performance Not Met*.
    - *Data Completeness Met and Performance Not Met* letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c<sup>1</sup> equals 20 patients in the Sample Calculation.
  - b. If *Beta-blocker therapy not prescribed* equals No, proceed to check *Data Completeness Not Met*.
13. Check *Data Completeness Not Met*:
  - If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

## **Submission Criteria Two:**

1. Start with Denominator
2. Check *Patients aged greater than or equal to 18 years on date of encounter*:
  - a. If *Patients aged greater than or equal to 18 years on date of encounter* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patients aged greater than or equal to 18 years on date of encounter* equals Yes, proceed to check *Diagnosis for heart failure as listed in Denominator\**.
3. Check *Diagnosis for heart failure as listed in Denominator\**:
  - a. If *Diagnosis for heart failure as listed in Denominator\** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Diagnosis for heart failure as listed in Denominator\** equals Yes, proceed to check *Patient encounter during performance period as listed in Denominator\**.
4. Check *Patient encounter during performance period as listed in Denominator\**:
  - a. If *Patient encounter during performance period as listed in Denominator\** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patient encounter during performance period as listed in Denominator\** equals Yes, proceed to check *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function*.
5. Check *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function*:
  - a. If *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Left ventricular ejection fraction (LVEF) less than or equal to 40 percent or documentation of moderately or severely depressed left ventricular systolic function* equals Yes, proceed to check *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)*.
6. Check *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)*:
  - a. If *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)* equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patients with a history of heart transplant or with a Left Ventricular Assist Device (LVAD)* equals No, include in *Eligible Population/Denominator*.
7. Denominator Population:
  - Denominator Population is all Eligible Visits in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d<sup>2</sup> equals 80 visits in the Sample Calculation.
8. Start Numerator

9. Check *Beta-blocker therapy prescribed*:
  - a. If *Beta-blocker therapy prescribed* equals Yes, include in *Data Completeness Met and Performance Met*.
    - *Data Completeness Met and Performance Met* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a<sup>2</sup> equals 40 visits in the Sample Calculation.
  - b. If *Beta-blocker therapy prescribed* equals No, proceed to check *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician*.
10. Check *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician*:
  - a. *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician* equals Yes, include in *Data Completeness Met and Denominator Exception*.
    - *Data Completeness Met and Denominator Exception* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b<sup>2</sup> equals 10 visits in the Sample Calculation.
  - b. If *Beta-Blocker Therapy for LVEF less than or equal to 40 percent not prescribed for reasons documented by the clinician* equals No, proceed to check *Beta-blocker therapy not prescribed*.
11. Check *Beta-blocker therapy not prescribed*:
  - a. If *Beta-blocker therapy not prescribed* equals Yes, include in *Data Completeness Met and Performance Not Met*.
    - *Data Completeness Met and Performance Not Met* letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c<sup>2</sup> equals 20 visits in the Sample Calculation.
  - b. If *Beta-blocker therapy not prescribed* equals No, proceed to check *Data Completeness Not Met*.
12. Check *Data Completeness Not Met*:
  - If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 visits have been subtracted from the Data Completeness Numerator in the Sample Calculation.

### **Sample Calculations**

Data Completeness equals Performance Met (a<sup>1</sup> plus a<sup>2</sup> equals 80 visits) plus Denominator Exception (b<sup>1</sup> plus b<sup>2</sup> equals 20 visits) plus Performance Not Met (c<sup>1</sup> plus c<sup>2</sup> equals 40 visits) divided by Eligible Population / Denominator (d<sup>1</sup> plus d<sup>2</sup> equals 160 visits\*\*). All equals 140 visits divided by 160 visits. All equals 87.50 percent.

Performance Rate equals Performance Met (a<sup>1</sup> plus a<sup>2</sup> equals 80 visits) divided by Data Completeness Numerator (140 visits) minus Denominator Exception (b<sup>1</sup> plus b<sup>2</sup> equals 20 visits). All equals 80 visits divided by 120 visits. All equals 66.67 percent.

\*See the posted measure specification for specific coding and instructions to submit this measure.

\*\*This measure is to be submitted at two different frequencies, depending upon the clinical setting. This measure is to be submitted for a minimum of **once per performance period** when **seen in the outpatient setting AND submitted at each hospital discharge** during the performance period. In

order to show an accurate calculation for Submission Criteria One and Submission Criteria Two, patients and visits were combined and shown as visits within the calculation.

This measure contains two Submission Criteria, although as the Sample Calculation indicates, there is **ONLY** one data completeness and one performance rate for this measure.

NOTE: Submission Frequency: Submission Criteria One: Patient-Process; Submission Criteria Two: Visit

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.